

A-Level Biology 2024-2026

Miss Gardener and Ms Hayward

Welcome!

Dear Biology Students,

We are looking forward to welcoming you to the AQA 'A' Level Biology A-level Biology course in September, where we will explore everything from biological molecules to the evolution of new species and the reasons why humans have evolved as they have! We do not expect you to know everything, but we do expect you to work hard and to seek help with any areas you are unsure about. We will support you through this interesting and challenging course and we hope you will enjoy it.

The following tasks are things we would like you to complete before the start of the course.

1. Equipment and organisation:

Please arrive at your first **Biology** lesson with the following essential equipment:

A4 Lever Arch Folder, A4 lined paper, a scientific calculator, a set of highlighters, a ruler, protractor, set square, pens, pencils, A4 plastic wallets and dividers.

Write the following topic headings on your dividers and place them into you A4 Level arch folder ready for your first lesson.

Year 1

1. Specification and exam papers
2. Admin/revision material
3. Assessed work
4. Development of Practical Skills in Biology
5. **Section 1 – Biological molecules**
6. Biological Molecules
7. Nucleic acids
8. **Section 2 - Cells**
9. Cell structure
10. Transport across cell membranes
11. Cell recognition and the immune system
12. **Section 3 – Organisms exchange substances with their environment**
13. Exchange (surfaces)
14. Mass transport (in animals and plants)
15. **Section 4 – Genetic information, variation and relationships between organisms**
16. DNA, genes and protein synthesis
17. Genetic diversity

Year 2

18. **Section 5 – Energy transfer in and between organisms**
19. Photosynthesis
20. Respiration
21. Energy and ecosystems
22. **Section 6 – Organisms respond to changes in their environments**
23. Response to stimuli
24. Nervous coordination and muscles
25. Homeostasis
26. **Section 7 – genetics, populations, evolution and ecosystems**
27. Inherited change
28. Populations and evolution
29. Populations and ecosystems
30. **Section 8 – The control of gene expression**
31. Gene expression
32. Recombinant DNA technology

2. Summer research task:

The Human Genome Project

You are going to research the Human Genome Project.

You can present your findings in any format that you wish.

Your research should include the following:

1. An explanation of what a genome is
 - a. Including information of what chromosomes, DNA, genes, alleles are/where they are found.
2. What are genetic mutations?
 - a. How do they cause disease?
 - b. What are inherited disorders?
3. Give examples of mutations in human genes that affect the phenotype.
4. An explanation of what the Human Genome Project (HGP) is.
5. A brief history of genetics from Mendel to the HGP.
6. Why is the HGP important? Describe some potential applications of mapping human genomes.
 - a. How can it indicate a person's risk of developing diseases? (Genetic testing)
 - b. How can it identify which medicines might be best to treat a person's illness?
 - c. How could it provide personalised healthcare plans?
7. What are the ethical, legal and social implications of genome research?
 - a. Who should have access to your personal genetic information?
 - b. What can be done to make sure that genetic information is not used to discriminate against individuals or groups?
 - c. Will all sectors of society have access to these new technologies?
 - d. Why will some people not want to get a genome test for diseases?

Sources of information:

All of the following sources can be found at [National Human Genome Research Institute](https://www.hgdp.cshg.org/) .

3. Preparation for your assessment:


On one of your first Biology lessons, you will have a 1-hour assessment that will be comprised of GCSE level Biology questions. This is so that we can assess your starting level and provide you with support if needed. To prepare for this, you should complete and mark all of the questions below. I would like you to bring these marked questions to your first Biology lesson.

Q1.


Figure 1 shows photographs of some animal cells at different stages during the cell cycle.

Figure 1


A



B



C



A © Ed Reschke/Photolibrary/Getty Images
B © Ed Reschke/Oxford Scientific/Getty Images
C © Ed Reschke/Photolibrary/Getty Images

(a) Which photograph in **Figure 1** shows a cell that is **not** going through mitosis?

Tick **one** box.

A B C

(b) Describe what is happening in photograph **A**.

(2)

(c) A student wanted to find out more about the cell cycle.

The student made a slide of an onion root tip.

She counted the number of cells in each stage of the cell cycle in one field of view.

The table below shows the results.

	Stages in the cell cycle					Total
	Non-dividing cells	Stage 1	Stage 2	Stage 3	Stage 4	
Number of cells	20	9	4	2	1	36

Each stage of the cell cycle takes a different amount of time.

Which stage is the fastest in the cell cycle?

Give a reason for your answer.

Stage _____

Reason _____

(2)

(d) The cell cycle in an onion root tip cell takes 16 hours.

Calculate the length of time **Stage 2** lasts in a typical cell.

Give your answer to 2 significant figures.


Time in **Stage 2** = _____ minutes

(3)

- (e) Bacteria such as *Escherichia coli* undergo cell division similar to mitosis.

Figure 2 shows a growth curve for *E. coli* grown in a nutrient broth.

Figure 2



What type of cell division causes the change in number of *E. coli* cells at **P**?

(1)

- (f) Suggest why the number of cells levels out at **Q**.

(2)


(Total 11 marks)

Q2. A small animal called an axolotl lives in water. The axolotl has a double circulatory system.

- (a) Define the term double circulatory system.

(1)

Figure 1 shows the double circulatory system of the axolotl.



- (b) The heart of the axolotl has only one ventricle.

Label the ventricle on **Figure 1**.


(1)

- (c) Explain why having only one ventricle makes the circulatory system less efficient than having two ventricles.

(2)

Figure 2 shows an axolotl.

Figure 2



(d) Explain why an axolotl may die in water with a low concentration of oxygen.

(4)

If a gill of an axolotl is removed, a new gill will grow in its place.

Scientists hope to use information on how axolotls grow new gills to help with regenerating human tissue.

(e) Name the type of cell that divides when a new gill grows.

(1)

- (f) Name **one** condition that could be treated using regenerated human tissue.

(1)

- (g) Suggest **one** reason why an axolotl is a suitable animal for research in the laboratory.

(1)

- (h) An axolotl may **not** be a suitable animal to study when researching regeneration in human tissue.

Suggest **one** reason why.


(1)

(Total 12 marks)

Q3.

Diagram 1 shows a cell from the pancreas.

Diagram 2 shows part of the cell seen under an electron microscope.



Part **A** is where most of the reactions of aerobic respiration happen.

(a) (i) Name part **A**.

(1)

(ii) Complete the equation for aerobic respiration.



(2)

(iii) Part **A** uses oxygen.

Explain how oxygen passes from the blood to part **A**.

(3)

(b) The pancreas cell makes enzymes.

Enzymes are proteins.

Describe how the ribosomes and part **A** help the cell to make enzymes.

(3)

(Total 9 marks)

Q4.

- (a) Mr and Mrs Smith both have a history of cystic fibrosis in their families. Neither of them has cystic fibrosis. Mr and Mrs Smith are concerned that they may have a child with cystic fibrosis.

Use a genetic diagram to show how they could have a child with cystic fibrosis.

Use the symbol **A** for the dominant allele and the symbol **a** for the recessive allele.

(3)

- (b) Mr and Mrs Smith decided to visit a genetic counsellor who discussed embryo screening.

Read the information which they received from the genetic counsellor.

- Five eggs will be removed from Mrs Smith's ovary while she is under an anaesthetic.
- The eggs will be fertilised in a dish using Mr Smith's sperm cells.
- The embryos will be grown in the dish until each embryo has about thirty cells.
- One cell will be removed from each embryo and tested for cystic

fibrosis.

- A suitable embryo will be placed into Mrs Smith's uterus and she may become pregnant.
- Any unsuitable embryos will be destroyed.

(i) Suggest why it is helpful to take five eggs from the ovary and not just one egg.


(1)

(ii) Evaluate the use of embryo screening in this case.
Remember to give a conclusion to your evaluation.

(4)

(c) In someone who has cystic fibrosis the person's mucus becomes thick.

The diagram shows how, in a healthy person, cells at the lung surface move chloride ions into the mucus surrounding the air passages.



The movement of chloride ions causes water to pass out of the cells into the mucus.
Explain why.

(3)

(Total 11 marks)

Q5.

Data from 'The Million Women' survey in the UK was collected for over 15 years.

Scientists analysed the data to study the effect of consuming alcohol on liver disease.

The scientists:

- included 400 000 women who regularly consumed alcohol
- included 400 000 women who did **not** consume alcohol
- excluded women who already had a liver disease.

(a) Age and gender were two factors controlled in this analysis.

Many other factors were also controlled.

Suggest **two** other factors which the scientists would have controlled.

1 _____

2 _____

(2)

The data was analysed for:


- women who drank alcohol with meals
- women who drank alcohol **not** with meals
- women who did **not** drink alcohol.

During the survey approximately 1500 women developed a liver disease called cirrhosis of the liver.

Scientists calculated the relative risk of developing cirrhosis of the liver for each group who consumed alcohol.

A relative risk of 1.0 means there was no statistical difference between the groups who did consume alcohol and the group who did **not** consume alcohol.

The below graph shows a summary of the results.



(b) A woman drinks 150 g of alcohol per week **not** with meals.

The woman decides to change to drinking 150 g of alcohol per week with meals.

Calculate the percentage decrease in relative risk of developing cirrhosis of the liver for this woman.

Percentage decrease = _____ %

(2)

(c) One glass of wine contains 12 g of alcohol.


A different woman drinks two glasses of wine each day with her meals.

Calculate the relative risk of developing cirrhosis of the liver for this woman.

Relative risk = _____

(2)

The graph is repeated below.



- (d) Consuming alcohol with meals instead of not with meals decreases the relative risk of developing cirrhosis of the liver.

Give **two** other conclusions about the relative risk of developing cirrhosis of the liver related to alcohol consumption.

Use data from the graph in your answer.

1 _____

2 _____

(2)

- (e) Suggest **two** reasons why the data is considered to be valid.

1 _____

2 _____

(2)

- (f) Suggest **one** aspect of the survey which might reduce validity.

(1)

- (g) Cirrhosis of the liver leads to liver failure.

Describe the effects of liver failure on the human body.

(4)

(Total 15 marks)

Q6.

Some students investigated the effect of pH on the growth of one species of bacterium. They transferred samples of bacteria from a culture of this species to each of eight flasks. Each flask contained a solution of nutrients but at a different pH. After 24 hours, the students measured the amount of bacterial growth.

- (a) It was important that the flasks in which the bacteria grew were not contaminated with other microorganisms. Describe **two** precautions the students should have taken to prevent this contamination.

1. _____

2. _____

(2)

- (b) To see the effect of pH on the growth of the bacteria, other conditions should be kept constant.


Suggest **two** conditions which should have been kept constant for all eight flasks.

1. _____

2. _____

(2)

- (c) The graph shows the results of the investigation.



The students wanted to find the best pH for the growth of this species of bacterium.

- (i) Use the graph to estimate the pH at which the bacteria would grow best.

pH _____

(1)

- (ii) What could the students do to find a more accurate value for the best pH for growth of the bacteria?

(1)

Mark schemes


Q1.

- (a) **C** 1
- (b) cytoplasm **and** cell membrane dividing
accept cytokinesis for 1 mark 1
- to form two identical daughter cells 1
- (c) stage 4 1
- only one cell seen in this stage 1
- (d) $(4 / 36) \times 16 \times 60$ 1
- 107 / 106.7 1
- 110 (minutes)
allow 110 (minutes) with no working shown for 3 marks 1
- (e) binary fission
do not accept mitosis 1
- (f) shortage of nutrients / oxygen 1
- so cells die
or
death rate = rate of cell division 1

[11]

Q2.

- (a) blood is pumped to the lungs by one / right side of the heart
and
blood is pumped to the body by the other / left side of the heart
*allow blood enters the heart twice for every (one)
circuit around the body* 1
- (b) ventricle correctly identified as any part of grey area below:



- 1
- (c) oxygenated and deoxygenated blood mixes
allow some deoxygenated blood is sent to the body / tissues / cells
- 1
- (so) less oxygen reaches the body / tissues / cells
allow named tissues / organs
- 1
- (d) concentration gradient (of oxygen) is shallow(er) / less steep
- 1
- (therefore) less oxygen diffuses into blood / cells / gills
- 1
- allow idea that concentration gradient is negative (i.e. out of axolotl) (1)*
so oxygen diffuses out of axolotl's blood / cells / gills (1)
- (so) less (aerobic) respiration occurs so less energy is released / available
or
(so more) anaerobic respiration occurs so less energy is released / available
do not accept no respiration occurs
do not accept energy production
- 1
- (so) less metabolism
ignore reduced living processes unqualified
allow reduction of building larger molecules or movement / muscle contraction or keeping warm
or urea formation or chemical reactions
- or**
(so when) anaerobic respiration occurs, lactic acid is produced (and is toxic)
- 1
- (e) stem (cells)
do not accept embryonic stem cell
- 1
- (f) any **one** from:
- paralysis

- diabetes
allow other examples such as Parkinson's / heart disease / stroke / cystic fibrosis / cancer / burns
*do **not** accept infectious diseases* 1

- (g) any **one** from:
 - easy to breed
allow reproduce quickly
 - easy / cheap to keep / rear (as are small)
 - don't take up much space
allow reference to not being dangerous (to the scientist)
allow they are not endangered
allow removal of gill will not kill the axolotl 1

- (h) any **one** from:
 - it's not a mammal **or** it is an amphibian
 - regeneration in gills may be different to that in other organs
 - metabolism / body processes are too different to humans
allow humans do not have gills
*allow it's an endangered species **or** species need to be protected from extinction*
*ignore reference to genetic differences **or** ethics* 1

[12]

Q3.

- (a) (i) mitochondrion / mitochondria
must be phonetically correct 1

- (ii) carbon dioxide / CO₂ 1

- water / H₂O 1

- in either order*
- accept CO₂ but **not** CO²*
- accept H₂O **or** HOH but not H²O*

- (iii) diffusion 1

- high to low concentration
allow down a concentration gradient 1

- through (cell) membrane **or** through cytoplasm
*do **not** accept cell wall* 1

- (b) ribosomes make proteins / enzymes 1

- using amino acids 1

part A / mitochondria provide the energy for the process

allow ATP

*do **not** accept produce or make energy*

1

[9]

Q4.

(a) both parents **Aa**

*accept other upper and lower case letter without key **or** symbols with a key*

allow as gametes shown in Punnett square

1

aa in offspring correctly derived from parents

or

aa correctly derived from the parents given

ignore other offspring / gametes

for this mark parents do not have to be correct

1

offspring **aa** identified as having cystic fibrosis

*may be the only offspring shown **or** circled / highlighted / described*

1

(b) (i) any **one** from:

accept converse if clear, eg if you (only) took one it might have cystic fibrosis / might not be fertilised

- (more) sure / greater chance of healthy / non-cystic fibrosis egg / embryo / child

accept some may have the allele

reference to 'suitable / good embryo' is insufficient

- greater chance of fertilisation

1

(ii) **advantages**

to gain 3 marks both advantage(s) and disadvantage(s) must be given

max 3

any **two** from:

ignore references to abortion unless qualified by later screening

- greater / certain chance of having child / embryo without cystic fibrosis / healthy
- child with cystic fibrosis difficult / expensive to bring up
- cystic fibrosis (gene / allele) not passed on to future generations

disadvantages

any **two** from:

- operation dangers / named eg infection
ignore risk unqualified
- ethical or religious issues linked with killing embryos
accept wrong / cruel to embryos accept right to life argument
ignore embryos are destroyed
- (high) cost of procedure
- possible damage to embryo (during testing for cystic fibrosis / operation)

plus

conclusion

a statement that implies a qualified value judgement
eg it is right because the child will (probably) not have cystic fibrosis
even though it is expensive

or

eg it is wrong because embryos are killed despite a greater chance of
having a healthy baby

note: *the conclusion mark cannot be given unless a
reasonable attempt to give both an advantage and a
disadvantage is made*

*do **not** award the mark if the conclusion only states that
advantages outweigh the disadvantages*

1

(c) any **three** from:

- osmosis / diffusion
*do **not** accept movement of ions / solution by osmosis /
diffusion*
- more concentrated solution outside cell / in mucus
*assume concentration is concentration of solute unless
answer indicates otherwise or accept correct description of
'water concentration'*
- water moves from dilute to more concentrated solution
*allow correct references to movement of water in relation to
concentration gradient*
- partially permeable membrane (of cell)
allow semi / selectively permeable

3

[11]

Q5.

(a) any **two** from:

ignore genetic factors

- BMI / morphology / obesity level
*allow mass / weight **and** height*
- smoking habits

- diet
allow previous drinking habits
 - medication
allow medical conditions
allow drug use
 - family history of liver disease
 - fitness levels
allow level of exercise
 - ethnicity
allow race
 - area of UK they live in
- 2
- (b) $2.55 - 1.60 (= 0.95)$
allow $1.60 - 2.55 (= -0.95)$
allow value for with meals in range 1.60 to 1.65 (for 1.60)
- 1
- $(\frac{0.95}{2.55} \times 100 =)$
- 37 (.2549019608...) (%)
allow answer correctly calculated from values in ranges 1.60 to 1.65 and 2.50 to 2.60
allow – 37(.2549019608...)(%)
- 1
- (c) $12 \times 2 \times 7 = 168$ (g/week)
- 1
- 1.8
allow in range 1.8-1.9
*allow correct reading from a calculation that omits the 2 **or** the 7*
*do **not** accept if a unit is given*
- 1
- (d) any **two** from:
- consuming alcohol increases the RR (with / without meals) **and** supporting data
allow risk for RR throughout
allow data in terms of number of glasses of wine
allow increasing alcohol consumption increases the RR at an increasing rate
 - consuming less than 50 g/week of alcohol with meals does not increase the RR
allow any value between 35 and 60 g / week
 - even (small amounts of alcohol at) 25 g / week increases the RR if not with meals
- 2
- (e) any **two** from:
- large number in survey

- long term / 15 year survey
allow 800 000 in survey
if neither mark awarded allow large study
- well controlled
allow many controls

2

(f) any **one** from:

- people underestimate / overestimate alcohol consumption
allow people lie about alcohol consumption
or *people lie about other named control variables*
- people may change (lifestyle / drinking) habits over time
- some people may drink all their weekly alcohol at once
ignore survey only tested women

1

(g) **Level 2:** Scientifically relevant facts, events or processes are identified and given in detail to form an accurate account.

3-4

Level 1: Facts, events or processes are identified and simply stated but their relevance is not clear.

1-2

No relevant content

0

Indicative content

Responses may refer to either total or partial liver failure

- no bile made (in the liver)
 - fats / lipids are not emulsified
 - surface area of fats / lipids not increased
 - pH of small intestine will not be alkaline / neutralised
 - enzymes (in small intestine) will not work effectively **or** (named) food not digested / absorbed
 - so may lose weight
- lactic acid not broken down / oxidised
 - accumulation of lactic acid in blood / body
 - lactic acid is toxic **or** body will be poisoned
 - oxygen debt higher / prolonged
 - so muscle pain / fatigue
- proteins / amino acids will not be broken down (in liver)
 - (amino acids) not deaminated
 - amino acids not made into urea **or** will not form ammonia
 - (however) any ammonia formed is toxic
 - so accumulation of amino acids in blood / body
- liver does not break down / remove other toxins (like alcohol)
 - toxins accumulate in blood / body
 - body will be poisoned
 - so pain **or** jaundice **or** swollen liver **or** portal hypertension occurs
- glycogen stores will not be formed
 - cannot control blood glucose
 - so hyperglycaemia / hypoglycaemia / diabetes / coma may occur

Q6.

(a) any **two** from:

- sterilise / kill microorganisms
ignore 'cleaning' / 'disinfect'
ignore 'germs'
- method of sterilisation eg apparatus / media sterilised in oven / autoclave
allow pressure cooker / boiling water
- pass flask mouth / pipette tip / loop / test tube mouth through flame
- work near a flame
- minimise opening of flask / test tube **or** hold non-vertical
*allow idea of sealing / covering **or** prevent entry of air*

2

(b) any **two** from:

- temperature
ignore references to time / type of bacterium
- concentration / amount of nutrients / ions
- type of nutrient
- volume / amount of solution
- amount of bacteria added
- agitation **or** amount of oxygen

2

(c) (i) 7.5

accept in range 7.4 – 7.6

1

(ii) use more pH values around / close to pH 7.5 / between 7 and 8

1

[6]

4. **General Information:**

Recommended Reading:

Textbooks

You will be provided with an online version of the course textbook, but there are others you may find useful:

- Fullick, et al (2015); A-level Biology for OCR; Oxford University Press
This is your course textbook. You will be provided with an online edition of this book, but you may wish to buy your own if you want to make notes within it.
- New A-Level Biology for OCR A: Year 1 & 2 Student Book with Online Edition; CGP.
Another alternative textbook with well-explained examples.
- CGP Head Start to A-level Biology
A good book to bridge the gap between GCSE and A-level Biology.
- Penny and Leftwich (2018) Maths Skills for A-level Biology (second edition)
An excellent book to explain and practice difficult mathematical biological concepts.

Popular Science books

Reading around the subject is important and can give you a further insight into what we teach and why. It will also read well on future UCAS / apprenticeship / job applications if you are willing to invest your own time into your studies.

- Junk DNA by Nessa Carey
- The Red Queen by Matt Ridley
- A short history of nearly everything by Bill Bryson
- Hen's teeth and horses' toes by Stephan Jay Gould – also good for geography students!
- Frankenstein's cat by Emily Anthes
- The Selfish Gene by Richard Dawkins

There are, of course, many others – this is just a starting point!

Magazines

- Biological Sciences Review
- New Scientist
- How it Works

Contact details:

If you are struggling with any aspect of the summer work and you would like pointing in the right direction, or if you just want to find out more about the course, you can contact Miss Gardener.

Miss C. Gardener: cgardener@sheringhamhigh.co.uk